

Georgia Public Health Laboratory

Scientific Services Unit -- Fluoride Monitoring
 1749 Clairmont Road • Decatur, GA 30033-4050
 (404) 327-7967



2 | 0 | 1 | 6

Water Fluoridation Split-Sample Reporting Form

Print or type return address:

Public Water Systems:

Complete all portions of this section and return form with sample bottle to the address above.

Sample Collected By: _____

Work Phone: _____

Water System Name: _____

Email address: _____

County: _____

- Notes: 1. Use the original forms distributed with the sample bottles only - DO NOT USE PHOTOCOPIES.
 2. Please print CLEARLY and within the lines (See examples below). The information below will be "read by Computer and automatically entered into the fluoridation database.

1	2	3	4	5	6	7	8	9	0
---	---	---	---	---	---	---	---	---	---

Shade Circles Like This: ●
 Not Like This: ⊗ ⊕

THIS SECTION TO BE COMPLETED BY WATER SYSTEM SUBMITTING SPLIT SAMPLE

State	PWS ID number	sample Date (mm / dd / yyyy)
G A	<div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> </div>	<div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> </div>

Sample Type

- Routine
- Replacement

Fluoride Analysis Method

- ISE Electrode
- SPADNS
- Complexone
- Ion Chromatography

Fluoride Concentration - Operator

		.		
-				

Chemical Used to Fluoridate Water

- Sodium Fluoride
- Sodium Fluorosilicate
- Sodium Fluorosilicic Acid

THIS SECTION FOR STATE LAB USE ONLY

Fluoride Concentration - State Lab

		.		
--	--	---	--	--

Date Received: ____ / ____ / ____

Date Tested: ____ / ____ / ____

Tested by: _____

Date Reported: ____ / ____ / ____